


Insulation Equipment & Accessories



(800)-963-4458 • www.meyercontractor.com

VACUUMS

Vantage-Vac® 14 HP



Debris Guard

VACUUMS

Versa-Vac® 19 HP



Processing Rate: 6,271 lbs/hr (Cellulose) Processing Rate: 4,299 lbs/hr (Fiberglass)

Debris Guard

VACUUMS

Veloci-Vac® 20 HP

The Veloci-Vac® is designed for both air duct cleaning and insulation removal. With its 20 HP CARB compliant engine, Veloci-Vac® has the power and portability you need for the toughest projects. Whether you're an experienced contractor expanding your business, or an entrepreneur looking to start-up, give your business two revenue streams instead of one. Meyer will help you get started and answer any questions you may have about the Air Duct Cleaning business and Insulation Removal.



20 HP CARB compliant engine

422A-107 Call for pricing





Processing Rate: 6,500 lbs/hr (Cellulose) Processing Rate: 4,400 lbs/hr (Fiberglass)

VACUUM BAGS

Vacuum Bags



The more you buy the more you save!

1-2	Boxes	\$70.00 PER BOX	Insulation Removal Vacuum Bags	
		\$60.00 PER BOX	These insulation removal bags are 4'x 6' and hold up to 75 cubic ft. of product. Can be used with the Meyer Versa-Vac ^{os} ,	
27-53	Boxes	\$55.00 PER BOX	Vantage-Vac, and Veloci-Vac portable insulation vacuums. Sold in a box of 5 bags.	
54+	Boxes	\$47.50 PER BOX	450TB049A See Chart	
1-2	Roves	\$98.00 PER BOX		
	DUACS		Heavy Duty Insulation Removal Vacuum Bags	
2.26				
5-20	Boxes	\$88.00 PER BOX	Our Heavy Duty Disposable insulation removal bags are 4'x 6' and hold up to 75 subia ft, of product. Can be used with the	
		\$88.00 PER BOX \$83.00 PER BOX	removal bags are 4'x 6' and hold up to 75 cubic ft, of product. Can be used with the	
	Boxes		removal bags are 4'x 6' and hold up to 75 cubic ft. of product. Can be used with the Meyer Versa-Vac ^{os} , Vantage-Vac, and	

www.meyercontractor.com

VACUUM ACCESSORIES

Removable Hose Kit A

Removable Hose Kit B

Insulation Removal Hose



Complete Hose packages for use with a Meyer Versa-Vac^{os} and Vantage-Vac Removal Vacuums. Available in 150 Ft. and 200 Ft. total hose lengths.

Includes: 4" & 6" Vaculite Hose Pick-up Tube w/Handles 6" to 4" Hose Reducer 6" Dia. Hose Sleeve Connectors Adjustable Hose Clamps 422A-1000 150 Ft. \$880.00 422A-1002 200 Ft. \$1,165.00



175 Ft. complete Hose package for the Meyer Veloci-Vac.

Includes:	
(1) 4"x 50', (4) 6"x	25′
(1) 8" x 25' Vaculite	e Hose
(1) 6"- 4" and	
(1) 8"- 6" Hose Re	ducer
(3) 6" Dia. Hose SI	eeve Connectors
(2) 2-5/16"-10" and	d
(10) 2"-7" Adj. Hos	se Clamps
(1) Pick-up Tube w	
4004 4004 475	

422A-1001 175 Ft. **\$1,135.00**

Sleeve Connector



Vaculite Insulation Removal Vacuum hose made of polyethylene with a metal helix running through the hose. Available in these sizes:

4″ dia. x 50′ 6″ dia. x 25′ 8″ dia. x 25′	' long	
450PS262	4" x 50'	\$219.00
450PS167	6″ x 25′	\$196.00
450PS168	8″ x 25′	\$239.00

Hose Reducer



Use this adapter to reduce the size of your hose down to a more desirable size.

421E-043 6"C)D - 4″OD	\$ 47.00
--------------	-----------	----------



Connect 2 pieces of hose together using a sleeve connector. 420Z-010 4"OD **\$ 13.00**

6″OD

Hose Clamps

421E-049

5' Pick Up Tube



The pickup tube works as an extension to your 4" hose attached to your insulation vacuum. It is tubing that is angled with a handle to help with the process of removing insulation with your Meyer insulation vacuum.

420Z-126

\$ 15.00

\$ 192.00

Adjustable metal hose clamp used to connect reducers, mounting flanges and sleeve connectors to hose. Available sizes: 2" to 7" dia. and 2-5/16" to 10" dia.

Nylon quick draw strap is used to connect the filter bag or insulation removal bag to the vacuum discharge. Size 4" to 12" diameter.


 Adjustable Hose Clamps

 450PT009
 2"-7" Dia.
 \$ 5.00

 450PT014
 2 5/16"-10" Dia.
 \$ 6.00

 Nylon Quick Draw Strap

 450PT067
 4"-12" Dia.
 \$ 24.00



Model 220 Insulation Blowing Machine



The Meyer Model 220 is specifically designed for DIY and professional contractors who require a powerful insulation blower with simplicity for ease of operation.

Our Model 220 machine offers excellent portability due to its rugged, yet lightweight construction.

Finish that small job in no time and do it professionally with the Meyer 220!

520A-066 **(**

Call for pricing

Processing Rate: 20 lbs/hr (Cellulose) Processing Rate: 7 lbs/hr (Fiberglass)



Fits in a small SUV





Hopper is hinged and removable for easy inspection and replacement of seal strips

www.meyercontractor.com

Model 551 Insulation Blowing Machine

Step-up to a contractor level blowing machine. Use it as your start-up machine, a backup, or to expand your retro-fit business. The Series 550 is capable of blowing all types of loose fill materials such as cellulose, fiberglass and rockwool. No other insulation blower provides this level of performance, reliability and versatility in an affordable machine. The 3G Series 550 is backed by the most comprehensive 2-year warranty in the business.

Call for pricing



- Double clutch design
- Shear pin safety system
- Optional wireless remote



Processing Rate: 3,000 lbs/hr (Cellulose) Processing Rate: 1,320 lbs/hr (Fiberglass)

Insulation Blowing Hose Kit B

550C-004



Meyer Series 550 Insulation Blowing Machine System. The kit contains: (3) 3" Dia. Mark II, 50 Ft. long (2) 3" Dia. Hose Sleeve Connectors (5) 3" Wire Hose Clamps

422A-1004 **\$ 403.00**

Air bleed relief kit



Model 1400 Insulation Blowing Machine

Meyer's unparalleled SERIES 1400 is an all-fiber, large capacity machine that delivers unmatched open blow production and unparalleled accuracy. If you want to do more jobs per day, or if you just want to complete big jobs faster, the Series 1400 has what it takes.

The Series 1400 integrates an oversized hopper, the industry's largest available blower and a large 4" diameter line size, making it the perfect solution to your high production needs.

The Series 1400 is engineered to simplify operation, minimize downtime and deliver accurate and uniform coverage. Meyer's exclusive quick-change sealstrip system lets you replace sealstrips in the feeder in a matter of minutes. A 4-speed transmission provides flexible hopper speed control, and the electrically operated material slide gate is panel mounted for easy adjustment. All gauges and controls are easily accessible without having to remove protective safety guards. A complete range of drive options includes truck driven, mechanical power-take-off, and water cooled gas or diesel engines, so you can configure your Series 1400 to suit your specific needs and preferences.

The Series 1400 represents Meyer's total commitment to the highest standards of quality, craftsmanship and customer service. Backed by the most comprehensive 2-year warranty in the industry, the Series 1400 will serve the professional applicator for years.

Call for pricing

Processing Rate: 3,800 lbs/hr (Cellulose) Processing Rate: 2,200 lbs/hr (Fiberglass)

Insulation Blowing Hose Kit A



Hose Kit package ideal for the Meyer Series 1400 and Series 1500 Insulation Blowing Machine Systems. The kit contains: (3) 4" Dia. Mark II, 50 Ft. long (2) 4" Dia. Hose Sleeve Connectors

(2) 4" Dia. Hose Sleeve Connectors
 (5) 4" Wire Hose Clamps
 422A-1003 \$ 532.00




Meyer's exclusive quick-change sealstrip system lets you replace sealstrips in the feeder in minutes.

Model 1500 Insulation Blowing Machine

Meyer's top-of-the-line, hydraulic drive blower is an all-fiber, large capacity machine that delivers fast, accurate and uniform open blow coverage. Finish bigger jobs faster with the Series 1500 insulation blower - your high production solution. The Series 1500 features a hydraulic drive system providing power to the blower, feeder and hopper. The new variable speed blower control allows the operator to control air volume while maintaining a constant delivery pressure. With Meyer's hydraulic drive there are no more clutches, transmissions and the associated chains, belts and pulleys. Our innovative design simplifies installation, providing exceptional operating performance and reliability, requiring minimal maintenance.

The adjustable hopper speed control provides precise control of hopper conditioning speed, and the electrically operated material slide gate is panel mounted for easy adjustment. All gauges and controls are easily accessible without having to remove protective safety guards.

Call for pricing



Fully integrated hydraulic system

- Direct coupled hydraulic motors to power the hopper, feeder and blower
- 28 gallon hydraulic oil tank
- Hydraulic oil level and temperature indicator
- Heat exchanger with automatic high temperature shut-off
- Easy access hydraulic oil filter



Processing Rate: 3,800 lbs/hr (Cellulose) Processing Rate: 2,200 lbs/hr (Fiberglass)

Insulation Blowing Hose Kit A



Hose Kit package ideal for the Meyer Series 1400 and Series 1500 Insulation Blowing Machine Systems. The kit contains:

(3) 4" Dia. Mark II, 50 Ft. long
(2) 4" Dia. Hose Sleeve Connectors
(5) 4" Wire Hose Clamps
422A-1003 \$532.00

ISULATION BLOWING ACCESSORIES

Replacement Wireless Remote

Wireless Remote and Receiver



A replacement remote for your Wireless Receiver.

VP-00268		\$175.00
420Z-230	for 400e	\$67.00

Wireless remote and signal receiver connects to your insulation blowing machine. Allowing for remote control of the machine without the mess of a cable.

420Z-125 Male Plug **\$1,109.00** 420Z-131 Female Plug **\$1,169.00**



Mark II Hose

Wire Hose Clamp

Medium weight clear polyethylene hose reinforced with a translucent integral polyethylene helix.

2″ x 50′	\$75.00
2-1/2" x 50'	\$ 95.00
3″ x 50′	\$ 123.00
3-1/2″ x 50′	\$ 176.00
4″ x 50′	\$ 167.00
	2-1/2" x 50' 3" x 50' 3-1/2" x 50'



Metal hose clamp used to connect reducers and sleeve connectors to hose.

450PT001	2"Dia	\$ 6.00
450PT002	2-1/2"Dia.	\$ 6.00
450PT003	3″Dia.	\$ 6.00
450PT025	3-1/2" Dia.	\$ 6.00
450PT026	4" Dia.	\$ 6.00

Directional Nozzel



Hose Reducer Insulation

Adapter used to reduce the hose diameter and connect varying diameter hose sizes.

VP-00348	2" to1-1/4"Dia.	\$ 61.00
450PT006	2-1/2"to 2"Dia.	\$ 18.00
VP-00151	3" to 2"Dia.	\$ 21.00
450PT005	3" to 2-1/2"Dia.	\$ 18.00
450PT008	3-1/2" to 3"Dia.	\$ 21.00
450PT017	4" to 3"Dia.	\$ 21.00
450PT024	4" to 3-1/2"Dia.	\$ 27.00

Sleeve Connector Insulation



Sleeve connectors are used to join two lengths of hose together.

420Z-001	2″Dia	\$ 12.00
420Z-002	2-1/2″Dia.	\$ 12.00
420Z-003	3″ Dia.	\$ 12.00
420Z-008	3-1/2″Dia	\$ 12.00
420Z-010	4″Dia	\$ 13.00



Directional spray nozzle attachment for wall fill insulation. Fixed or swivel (shown) head option.

450PZ001	2" Fixed	\$ 31.00
450PZ003	2" Swivel	\$ 61.00
450PZ002	2-1/2" Fixed	\$ 32.00
450PZ004	2-1/2" Swivel	\$ 61.00

Wood Hole Plugs



Wood plugs used to cover the holes created when performing a wall fill insulation job.

450K-027	2" Dia.*	\$ 92.00
450K-028	2-1/2" Dia.**	\$ 85.00
450K-036	2-1/8" Dia.*	\$ 99.00
*D	**D	

*Bag of 250 Pieces **Bag of 175 Pieces

www.meyercontractor.com





Wm. W. Meyer & Sons, Inc. 1700 Franklin Blvd. Libertyville, IL 60048-4407

Phone: 847-918-0111

Fax: 847-918-8183